PARKER VISES

INDUSTRIAL CATALOG 63

Grips like a Grizzly

PARKER VISES

FIRST IN

DEMAND - QUALITY - DURABILITY



YES! Parker has been the leader in the vise field for over 120 years. Not just a statement, but backed by FACTS. Here are a few "FIRSTS" by PARKER.

"Firsts" by Parker Vises

1—**FIRST** vise to be made in U. S. A. A distinct improvement over European design.

2—**FIRST** to use renewable jaws adding years to the use of the vise.

3—**FIRST** with the "Above the Bench" swivel base with a positive locking device.

4—**FIRST** to adopt Hex Wrench to tighten base, eliminating cumbersome binder bolt.

5—**FIRST** with outside screw retainer (saddle) resulting in quicker tightening action and increased strength in the slide.

6—**FIRST** to adopt tension spring in handle and increasing speed in operation and preventing "Pinched Fingers."

THE CHARLES PARKER CO., MERIDEN, CONN.

MASTER VISE MAKERS
Bare Facts

1—STEEL JAW CONSTRUCTION



The vital part of any vise — the steel jaw. A rigid jaw is absolutely necessary in order to hold work properly. However, the vise is worthless, if when worn the jaws cannot be renewed. With the Parker construction, two straight pins (not tapered) are driven into the drilled holes and polished off. Thus the jaws are just as rigid as though they were cast on. By driving the pins out, the jaws can be replaced when worn at a small cost. The entire top of the vise is covered with tool steel (not a face jaw) an added protection against filing, chipping, etc.

Parker steel jaws are interchangeable

2—SWIVEL BASE CONSTRUCTION



The Parker Swivel Base is POSITIVE in action! It is designed on the principle of the automobile brake — "shoes that grip the sides." Turning the wrench wedges the shoes against the sides of a circle in the base providing a gripping power of 360°. The hexagon wrench is easier to operate than the old style binder bolt. It can also be readily changed to the opposite side of the vise for use by left-handed mechanics.

*3—SOLID STEEL STRENGTHENING BAR

The weakest part of any vise — the slide! The Combination Pipe Vises have a solid steel strengthening bar cast the entire length of the slide. This bar relieves the strain at any one particular point and distributes it along the entire length of the slide.

Actual tests have demonstrated that a slide with this type of construction is practically unbreakable.


OUR HANDLES STAY PUT.
OUR JAWS GRIP LIKE A GRIZZLY
TOOL STEEL—PINNED ON—THEY CAN NOT WORK LOOSE
OUR TOOL STEEL JAWS COVER THE ENTIRE TOP OF THE VISE and ARE RENEWABLE
LOOK AT OUR SOLID STEEL BAR SLIDE STRENGTHENER (SUPERIOR SERIES)
WE MAKE OUR OWN CASTINGS of PARKO-METAL
WE GOT EXTRA STRONG SCREW AND NUT.
A SWIVEL WITH THE STRENGTH OF A SOLID BACK JAW
GET AN EYEFUL OF OUR IMPROVED SADDLE AND UNDERPORTION

4—SOLID UNDERPORTION

The Parker Vise screw is attached to the slide by means of a saddle on *outside* of slide instead of a collar on the *inside* having the following advantages:

First — the underportion of the slide is cast solid, not hollow, which adds greater strength at this point.

Second—The absolute saddle fit eliminates any slack usually found in other vises.

Third — this simplified construction permits lubrication which will prolong the life of any vise.

5—TENSION SPRING IN HANDLE

The vise handle of a large size vise can cause a bad pinch that might lead to serious trouble. The tension spring and screw in a Parker Vise Handle holds it permanently in any position, yet it can be moved easily by hand.

By centering the handle and lubricating the screw, production can be speeded up considerably.

*Combination pipe series only.

6—PARKER CASTINGS

The important parts of any vise are the castings. Parker Castings have been made in our own foundry for over 120 years. All heats in the foundry are carefully run to analysis. Daily tensile and shear tests are made to insure the strongest possible alloyed mixture of iron.

7—OVERSIZE SCREW AND NUT

Parker Screws are drop forged with a one piece handle, threaded so as to give the quickest possible action and still have the proper holding power. The nut is made of the highest grade malleable iron. *Each vise* has a different size screw and nut designed for that particular size vise.

PARKER'S "ECLIPSE" MACHINISTS' VISES

Parker's "Eclipse" Machinists' Vises are standard in price only. The six construction features explained in detail on page two, show definitely why we state that they are "Built for a LIFETIME OF USE."



STATIONARY BASE

STATIONARY BASE VISES

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth
953	3″	$ 20.00	23	4½″	3¼″
953½	3½″	22.50	35	5½″	3⅝″
954	4″	25.50	46	6½″	3¾″
954½	4½″	31.00	63	7″	4⁵⁄₁₆″
955	5″	40.00	85	8″	4⅝″
956	6″	78.00	132	10½″	5⁷⁄₁₆″
958	8″	150.00	245	13¾″	6⁹⁄₁₆″

ALL PARTS INTERCHANGEABLE

SMOOTH-FACE JAWS FURNISHED AT NO EXTRA CHARGE

SWIVEL BASE VISES

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth
973	3″	$ 26.00	26	4½″	3¼″
973½	3½″	30.00	42	5½″	3⅝″
974	4″	34.00	59	6½″	3¾″
974½	4½″	40.00	76	7″	4⁵⁄₁₆″
975	5″	60.00	104	8″	4⅝″
976	6″	104.00	157	10½″	5⁷⁄₁₆″
978	8″	196.00	298	13¾″	6⁹⁄₁₆″



SWIVEL BASE

PARKER'S "VICTOR" SWIVEL JAW MACHINISTS' VISES

These swivel jaw vises are designed for use where tapered and odd shaped work are to be held. By removing the tapered pin, the parallel jaws swivel and self adjust themselves to tapered work.

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth
383 ½	3½"	$ 40.00	51	5"	3½"
384 ½	4½"	56.00	71	6"	4"
386	6"	120.00	174	9½"	4⅞"



SWIVEL BASE

PARKER'S COMBINATION PIPE VISES

Combination vises are used in the plumbing and railroad fields. The pipe jaws, made of the highest grade steel, do not project beyond the face of the vise jaws, therefore the vise will hold work the full width of the jaw and depth of the throat.

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth	Holds Pipe Up To
433 ½	3½"	$ 35.00	47	5"	41/32"	2½"
434 ½	4½"	48.00	75	6½"	5"	3½"
435	5"	76.00	116	7"	6⅝"	4½"
436	6"	120.00	185	10"	713/16"	6"



SWIVEL BASE

PARKER'S "BIG BEAR" SERVICE VISES

"Big Bear" Vises are used for extra heavy work in both the industrial and service station fields. Up to 30 pounds heavier than the standard machinist vise, these service vises have a heavy anvil plus an oversize screw and nut.

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth
984	4"	$35.00	76	5½"	45/16"
985	5"	48.00	102	6"	4¾"



STATIONARY BASE

PARKER'S "BIG BEAR" SERVICE VISES

Like the above Stationary base vise, these "Big Bear" swivel base vises are heavier, with anvil and oversize screw and nut. The heavy 360° swivel base provides action with strength. These vises meet the demand for extra rugged vises.

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth
994	4"	$43.00	89	5½"	45/16"
995	5"	64.00	112	6"	4¾"



SWIVEL BASE

PARKER'S SHEETMETAL WORKERS' VISE



SWIVEL BASE

This Parker Vise has very large and peaked jaws for ease in metal working. The deep throat accommodates large pieces of sheet metal. Two screws plus a horizontally driven pin rigidly hold the smooth steel jaws to the vise. Jaws are interchangeable.

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth	Jaw Depth
674 ½ X	4½"	$45.00	77	7"	5"	2¼"

PARKER'S FILERS' VISE



SWIVEL BASE

The filers' vise is designed for shops where much filing is done. It has a high peak and deep throat to accommodate varied filing work. Two screws plus a horizontally driven pin firmly hold the serrated steel jaws. These jaws are interchangeable.

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth
574X	4"	$36.00	44	4"	4 1/16"

PARKER'S DOUBLE SWIVEL VISE


SWIVEL BASE

The Double Swivel Vise is designed for tool makers, die sinkers, and metal pattern makers. Two swivels operate independently of each other, allowing the work to be swung into any position without being removed from the vise.

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth
474	3¾"	$64.00	67	6"	2 19/32"

PARKER'S SMALL ANVIL VISE



SWIVEL BASE

This small anvil vise is designed for precision assembly work such as is needed in the manufacture of jewelry, radios and electronics. The anvil on the back greatly aids in the assembling and forming of small parts.

Vise No.	Jaw Width	List Price	Wgt. Lbs.	Vise Opens	Throat Depth
492 ½ X	2½"	$22.00	9	2⅛"	2⅛"

PARKER'S HINGED PIPE VISES

Parker's Hinged Pipe Vises are constructed of high grade malleable iron. The hook is self locking. The handle and screw are of cold rolled steel with a "V" thread. New style pipe jaws are of Tool Steel—milled and tempered in oil.



Vise No.	Holds Pipe	List Price	Wgt. Lbs.
180	1/8" to 2"	$10.80	8
181	1/8" to 2 1/2"	12.80	11
182	1/8" to 3 1/2"	19.20	18
183	1/8" to 4 1/2"	26.70	26

IMPORTANT PRICE CHANGE

SEE PRICE SHEET FOR LATEST PRICES

PARKER'S WOODWORKERS' VISES

CONTINUOUS SCREW

Vise No.	Jaw Size Inches	Jaw Opening Inches	Approx. Wgt. Lbs.	List Price
WOODEN HANDLE				
25W	4 x 7	9	23	$17.50
26W	4 x 10	12	31	20.50
STEEL HANDLE				
25S	4 x 7	9	25	$18.50
26S	4 x 10	12	33	21.50
NOTE: All have dog in Front Jaw				

Designed for use in both woodworking and manual training shops. Vise fastens to the workbench from below as well as from the front. Vise comes equipped with either wooden or steel handle. Steel handle contains a spring which prevents handle from slipping.



TYPE OF STEEL HANDLE

IMPORTANT PRICE CHANGE

SEE PRICE SHEET FOR LATEST PRICES

QUICK ACTION

Vise No.	Jaw Size Inches	Jaw Opening Inches	Approx. Wgt. Lbs.	List Price
WOODEN HANDLE				
445W	4 x 7	9	31	$20.00
446W	4 x 10	12	37	23.00
NOTE: All have dog in Front Jaw				

Less than one turn of the handle allows vise to open full length. Place the work in the vise, then push the jaw up against the work. A part turn of the handle draws the jaw up tight. No time consuming turning of the screw.



IMPORTANT PRICE CHANGE

SEE PRICE SHEET FOR LATEST PRICES

PARKER'S UTILITY VISES



INDIVIDUALLY BOXED
SIX CARTONS IN A MASTER

No. 63½

A HIGH GRADE UTILITY VISE

Steel jaws are hardened, serrated and removable
Standard machinist swivel base
Built in jaws to hold pipe
Steel acme screw and one piece handle
Steel slide and cut-off tool

Vise No.	Jaw Width	List Price	Vise Wgt.	Vises Per Case	Wgt. Per Case
63½	3½"	$9.80	17 lbs.	6	115 lbs.

No. 33½

IDEAL FOR HOME WORKSHOPS

Polished smooth jaws—3½" wide
Steel screw with acme thread
One piece handle of steel
Accurately machined steel rods

Vise No.	Jaw Width	List Price	Vise Wgt.	Vises Per Case	Wgt. Per Case
33½	3½"	$5.30	9 lbs.	12	112 lbs.



PACKED TWELVE TO A CARTON

Cap Jaws



DISCONTINUED

TRADE NAVA-MAR MARK

MAKES OLD CAP JAWS OBSOLETE

ELIMINATES MAKESHIFTS
QUICKLY, EASILY APPLIED
FITS ANY STANDARD VISE
STAYS ON—EASILY REMOVED
FOUR CHOICES OF MATERIAL

Place these new cap jaws on the vise—close the vise—then tighten the set screws with a screw driver. Each pair of jaws comes individually packaged with two slotted set screws.

DISCONTINUED

LIST PRICES

Size	Bronze	Aluminum	Fibre Faced	Babbitt Faced
3"	$ 3.60	$2.35	$3.00	$3.35
3½"	3.90	2.55	3.20	3.50
4"	4.25	2.75	3.40	3.75
4½"	5.00	3.25	4.05	4.45
5"	6.20	4.10	5.00	5.50
6"	10.00	6.50	8.00	8.85

SEND FOR A FOLDER SHOWING
OTHER SIZES AND TYPES OF MATERIALS

VISE COMPARISON CHART

PARKER	JAW WIDTH INCHES	AMER-ICAN SCALE	ATHOL	COLUMBIAN	HOLLANDS	MORGAN	PRENTISS	REED	ROCK ISLAND	SIMPLEX	WILTON	YOST
STATIONARY BASE MACHINIST VISES												
953	3	51	613	503	13	30	253	103R	591	31P	30N	103
953 ½	3 ½	52	613 ½	503 ½	13 ½	35	253 ½	103 ½ R	592	33P	35N	103 ½
954	4	53	614	504	14	40	254	104R	593	41P	40N	104
954 ½	4 ½	54	614 ½	504 ½	14 ½	45	254 ½	104 ½ R	594	43P	45N	104 ½
955	5	55	615	505	15	50	255	105R	595	51P	50N	105
956	6	56	616	506	16	60	256	106R	597	61P	60N	106
958	8	58	618	508	18	80	258 ½	108R	67	81P	—	108
SWIVEL BASE MACHINIST VISES												
973	3	61	623	603	23	130	263	203R	571	31S	30S	203
973 ½	3 ½	62	623 ½	603 ½	23 ½	135	263 ½	203 ½ R	572	33S	35S	203 ½
974	4	63	624	604	24	140	264	204R	573	41S	40S	204
974 ½	4 ½	64	624 ½	604 ½	24 ½	145	264 ½	204 ½ R	574	43S	45S	204 ½
975	5	65	625	605	25	150	265	205R	575	51S	50S	205
976	6	66	626	606	26	160	266	206R	577	61S	60S	206
978	8	68	628	608	28	180	268 ½	208R	—	81S	—	208
SWIVEL BACK JAW—SWIVEL BASE VISES												
383 ½	3 ½	75	643 ½	403 ½	43 ½	335	453 ½	403 ½ R	—	33SJ	—	43 ½
384 ½	4 ½	77	644 ½	404 ½	44 ½	345	454 ½	404 ½ R	—	43SJ	—	—
386	6	79	646	406	46	360	456	406R	—	—	—	78
COMBINATION PIPE VISES—SWIVEL BASE												
433 ½	3 ½	22A	323 ½ X	203 ½	—	87	353 ½	1C	541B	33CP	C-0	31C
434 ½	4 ½	23A	324 ½ X	204 ½	53 ½ H	88	354 ½	2C	542B	43CP	C-1	32C
435	5	24A	325X	205	54H	288 ½	355	3C	543B	—	C-2	33C
436	6	25A	326X	206	56H	289 ½	356	4C	544B	61CP	—	34C
HEAVY DUTY VISES												
984	4	—	—	—	—	—	—	—	—	—	—	—
985	5	—	—	—	—	—	—	—	—	—	—	—
994	4	—	—	—	—	—	—	—	—	—	—	—
995	5	—	—	—	—	—	—	—	—	—	—	—
MISCELLANEOUS SPECIAL VISES												
574X	4	—	—	—	254	—	—	214R	—	41-FS	—	—
674 ½ X	4 ½	206	424 ½ X	224 ½	264 ½	138	—	224 ½ R	—	42-CPS	—	503
474	3 ¾	—	—	—	—	—	—	—	—	—	—	F
492 ½ X	2 ½	—	622 ½	—	—	—	—	—	—	—	—	—

The above comparison chart is for aid in comparing Parker machinists' vises with other makes. These vise numbers were compiled from the most recent available catalogues of the various vise manufacturers. Comparison was made by means of the closest corresponding jaw size and type.

REPAIR PARTS

LINE DRAWINGS OF PARTS FOR MACHINISTS' VISES


SLIDE
BACK JAW (STATIONARY BASE)
BACK JAW SWIVEL BASE
SWIVEL BASE BACK JAW FOR TOP SWIVEL VISE
SWIVEL JAW AND TAPER PIN
BACK JAW FOR DOUBLE SWIVEL VISE
OUTSIDE BARREL FOR DOUBLE SWIVEL VISE
STEEL JAW AND PINS
EXPANSION RING
SWIVEL BASE
CENTER BOLT
BINDER BOLT WRENCH
BINDER BOLT AND WEDGE
NUT AND NUT PIN
SCREW PLUG AND SPRING FOR HANDLE
SADDLE AND SCREW
SCREW AND HANDLE (OLD STYLE)
SCREW AND HANDLE (NEW STYLE)
WASHER
PIPE JAW PIN
SWIVEL JAW PIN
FEMALE OR DOUBLE PIPE JAW
MALE OR SINGLE PIPE JAW

LINE DRAWINGS OF PARTS FOR HINGED PIPE VISES



LINE DRAWINGS OF PARTS FOR WOODWORKERS' VISES



REPAIR PARTS

Parker has manufactured vises for over 120 years, during which many new lines of vises were introduced. As a result, many vises have become obsolete.

In the past we were able to supply parts for many old numbers. However, several years ago a fire destroyed most of our patterns. Naturally we made new ones for the active numbers only.

MODERN VISE PARTS — All vises illustrated in this catalog have **interchangeable** parts. All repair parts for these present vises can be furnished. When **ordering,** refer to the line drawings on page 9 and include on the order the exact **name** of the part plus the **number** of the vise.

OLD VISE PARTS — Only NUTS, removable STEEL JAWS and SCREWS with handles can be furnished for most old vises. All other parts are **not** available.

STEEL JAWS — The removable steel jaws on obsolete vises were not made to a standard, so **both** old jaws must accompany the order. The old jaws are used as samples in order to insure a good fit. Jaws must be ordered in pairs.

LIFETIME GUARANTEE

Parker vises carry a lifetime guarantee against defects in workmanship and material. Any defective parts will be replaced free of charge.

PARKER VISES

CARRIED IN STOCK

BY

DISTRIBUTORS

IN

ALL SECTIONS OF THE COUNTRY

CONTACT THEM FOR
INFORMATION — SERVICE

THE CHARLES PARKER CO.
MERIDEN, CONNECTICUT

PRINTED IN U.S.A.
4153